

Amendments to the Claims

Prior to consideration of the remarks presented herein, Applicants request entry of the following amendments. This listing of claims will replace all prior versions, and listings, of claims in the application:

1-25. (cancelled)

26. (currently amended) An unsaturated fatty acid composition comprising flaxseed oil ~~in a feed~~, wherein said composition has a total weight ratio of linoleic fatty acid (n-6, 18:2) and to α -linolenic fatty acid (n-3, 18:3) are present in a linoleic to α -linolenic weight ratio of 0.05-7.5 in said feed, wherein said composition is provided in a daily dose of 0.15 to 0.3 g/kg.

27. (previously presented) The composition of claim 26, further comprising rapeseed oil and perilla oil.

28. (currently amended) The composition of claim 26, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0-0.05~~0.5-2.0.

29. (currently amended) The composition of claim 27, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0-0.05~~0.5-2.0.

30. (previously presented) The composition of claim 26, wherein said composition is in the form of a capsule.

31. (previously presented) The composition of claim 30, wherein the unsaturated fatty composition further comprises rapeseed oil and perilla oil.

32. (currently amended) The composition of claim 30, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0-0.05~~0.5-2.0.

33. (currently amended) The composition of claim 31, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0.05~~0.5-2.0.

34. (currently amended) An edible oil composition comprising flaxseed oil in a feed, wherein said oil composition has a total weight ratio of linoleic fatty acid (n-6, 18:2) ~~and to~~ α -linolenic fatty acid (n-3, 18:3) ~~are present in a linoleic to α -linolenic weight ratio of 0.05-7.5, wherein said composition is provided in a daily dose of 0.15 to 0.3 g/kg in said feed.~~

35. (currently amended) The oil composition of claim 34, further comprising rapeseed oil and perilla oil.

36. (currently amended) The oil composition of claim 34, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0.05~~0.5-2.0.

37. (currently amended) The oil composition of claim 35, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0.05~~0.5-2.0

38. (currently amended) A dietary supplement comprising flaxseed oil in a feed, wherein said supplement has a total weight ratio of linoleic fatty acid (n-6, 18:2) ~~and to~~ α -linolenic fatty acid (n-3, 18:3) ~~are present in a linoleic to α -linolenic weight ratio of 0.05-7.5, wherein said dietary supplement is provided in a daily dose of 0.15 to 0.3 g/kg in said feed.~~

39. (previously presented) The dietary supplement of claim 38, further comprising rapeseed oil and perilla oil.

40. (currently amended) The dietary supplement of claim 38, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0.05~~0.5-2.0.

41. (currently amended) The dietary supplement of claim 39, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0.05~~0.5-2.0.

42. (currently amended) A food composition comprising flaxseed oil, wherein said food composition has a total weight ratio of linoleic fatty acid (n-6, 18:2) and to α -linolenic fatty (n-3, 18:3) are present in the composition in a linoleic to α -linolenic weight ratio of 0.05-7.5, wherein said composition is provided in a daily dose of 0.15 to 0.3 g/kg.

43. (previously presented) The food of claim 42, further comprising rapeseed oil and perilla oil.

44. (currently amended) The food of claim 42, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0.05~~0.5-2.0.

45. (currently amended) The food of claim 43, wherein the weight ratio of said linoleic fatty acid to said α -linolenic fatty acid in said food is ~~0.05~~0.5-2.0.